



RACKING PERMIT ADDENDUM

Approval is subject to the following conditions:

GENERAL / BUILDING

1. All work shall comply with all applicable codes as adopted and amended by the Village of Glendale Heights.
 - 2006 International Building Code
 - 2006 International Fire Code
 - 2008 National Electric Code
 - Current Illinois Accessibility Code (1997)
 - 2010 ADA Standards for Accessible Design
 - Village of Glendale Heights Zoning Ordinance
2. Racking shall not obstruct equipment (electric panels, etc.) that is required to be readily accessible.

ELECTRICAL

1. Emergency lighting shall comply with section 1006 of the 2006 IFC.
2. Exit lighting shall comply with section 1011 of the 2006 IFC.
3. Upon completion of the racking installation, field inspection shall be performed to ensure that adequate illumination of the path of egress is maintained. Where required, a photometric plan shall be prepared and submitted to the Village for review and approval by the Fire Protection District. If necessary, a separate permit shall be required and additional Exit and/or Emergency lighting shall be provided.

FIRE

1. The project falls within the regulatory boundaries of the _____ Fire Protection District. The work of this permit is subject to their plan review, inspection, and approval.
2. All aisles, access doors, egress doors, fire department hose connections, and ____ shall be maintained clear of obstructions at all times.
3. Portable fire extinguishers (PFE) shall be maintained in accordance with IFC section 906.

I hereby certify that I have read and understand all of the above regulations, and I agree to comply with all of the regulations contained herein.

Signature

Date

10/18/2017